

Snow blower



Facts and technical data on the snow blower for the City Ranger 2260

Effective snow removal

Enter wintertime - with ease of mind

When winter comes with its massive heaps of snow, a snow blower helps a great deal. The compact dimensions of the snow blower allow for clearing areas where manual labour would normally be the only option. The attachment works effortlessly on roads, paths, sidewalks, parking lots, etc.

Hydraulic and electrical adjustment of the discharge chute

The 2-step attachment works its way through snow drifts by scraping the snow together with the large auger and sending the snow wherever you want via the adjustable chute.

From the comfortable operator's seat, the operator has the option of continuously adjusting the horizontal direction of the chute with a joystick. When you want the snow to be blown higher or lower, you simply use the designated switch found inside the cabin.

Snow-clearing for narrow passages

The snow blower effortlessly handles 60 cm high snow drifts with a working width of 110 cm and blows the snow away with great force. The snow is blown high over hedges or other obstacles - far away from people and vehicles. Clearing snow on narrow sidewalks, biking paths, or other areas with limited space, is no problem. The compact dimensions and high manoeuvrability of the articulated City Ranger 2260, as well as the width of the snow blower, allow it to enter even the narrowest of passages. The 2-step snow blower slides on adjustable skids and can therefore be adapted to any surface. In demanding conditions, the 4-wheel drive of the City Ranger 2260 ensures great traction.

Attachment change in less than 1 minute

With Quick-shift, all City Ranger 2260 attachments can be replaced by a single person in less than 1 minute requiring no hand tools or any heavy lifting. The snow blower is picked up by the machine, the handle is turned, and all mechanical, hydraulic, and electrical systems are connected at once, so you can get back to work. If a salt and sand spreader is fitted to the back of the City Ranger 2260, you can do two jobs at once. The salt and sand spreader is just as easy to install. The Quick-shift makes it easy and quick to switch from one attachment to another, and the utility machine can be used for multiple types of jobs throughout the day. The easy attachment change on the City Ranger 2260 has several advantages: Efficient operation, increased safety, and a much better return on investment.

Specialized quality attachment for harsh conditions

The need that arises in harsh weather conditions are reflected in the quality of the snow blower, delivering both an effective and specialized effort. The snow blower was produced in close cooperation with the Italian producer Cerruti Srl.

Cerruti was founded in 1958 and is dedicated to designing and producing snow blowers for both large and small machines. Tailored to the City Ranger 2260, the snow blower is a solid piece of craftsmanship developed and tested in the perfect conditions close to the Italian snow-covered Olympic Mountains. Local Italian quality components are mainly used for production.



Easy and effortless snow removal

Combined with the City Ranger 2260's amount of horsepower, the snow blower ensures easy and effortless clearing of large masses of snow.



- City Ranger 2260



Hydraulic and electrical adjustment of the chute	The horizontal direction of the chute is hydraulically adjusted via the joystick from inside the cabin. Vertical adjustment takes place via a button in the cabin.
Blade	The snow blower has a replaceable blade.
Skid	The 2 skids are height adjustable to ensure that the blade adjusts to surface variations.
Safety feature	In case of clogging, the in-take of the machine is equipped with spring bolts to protect it from over- stress.
Adjustable weight distribution	For optimum functionality as well as minimum wear of the attachment.

Extra equipment (options):

Counterweight	When the snow blower works on its own - i.e., without the salt and sand spreader - counterweights MUST be fitted to ensure its stability.
Anti-corrosion treatment	The anti-corrosion treatment will extend the life of the attachment.





EGHOL

1125 mm

3450 mm

Technical specifications

Length	mm	3450
Width		
	mm	1125
Height with cabin / roll bar (ROPS)	mm	1939 / 2060
Storage dimensions		
Length	mm	1050
Width	mm	1125
Height	mm	1500
Weight		
Weight (snow blower)	kg	140
Performance		
Clearing width	mm	1100
Feed intake height	mm	600
Ground clearance below snow blower	mm	370
Auger diameter	mm	395
Blower diameter	mm	400
Axle revolutions	rpm	1000
Operating speed	km/h	1-7
Noise emissions		
Sound power level LwA (2000/14/EC and DIN EN ISO 3744)	dB(A)	106
CE certified according to EU directive		









Honest Workı

Egholm A/S develops, produces and markets utility machines that keep roads, parks and outdoor areas clean and inviting all year round. We supply functional quality machines and attachments to people who do an honest day's work keeping our cities clean and attractive. With special attachments developed for the machines, Egholm machines deliver perfect results no matter the task at hand. Built by craftsmen in Denmark, Egholm machines are in operation in cities and parks all over the world.

Honest Machines

Egholm utility machines are developed by people who are passionate about technology and innovation. We listen to the people driving, using and servicing Egholm machines, because they are the true experts. It is our mission to design, build and market utility machines that deliver perfect results in real life. Egholm machines are honest machines - not just because they deliver comfort, safety and strong end results: They are also a sound investment for years to come and give you outstanding return on your investment.

Honest People

We want you to think of us as your partner in every single way. And we always insist on reliability, trust and honesty in our partnership with you and with our network of dealers and service partners. We are straightforward and direct in our communication and in our dealings with everyone. Our belief in hard work and unwillingness to compromise helps us deliver the quality for which we are known. And we believe it is reflected by the machines we build for you, as well.

Egholm A/S Transportvej 27 7620 Lemvig, Denmark T.: +45 97 81 12 05 www.egholm.eu - info@egholm.dk

Egholm GmbH

Am Hafen 24 38112 Braunschweig, Germany T.: +49 (0) 531 129 77-0 www.egholm.de - info@egholm.de 22.10.2024